

Material Safty Data Sheet

Product

SR303

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product Name	SR303
1.2 Recommended use of the chemical and restrictions on use	
Recommended use of the product	Silicone sealant
Restrictions on use of the product	No data
1.3 Company information	
Company Name	DAEHEUNG CHEMICAL CO., LTD.
Address	52, Sandan-ro15beon-gil,Pyeongtaeksi,Gyeonggi-do
Emergency telephone number	+82-31-663-5251

2. HAZARD IDENTIFICATION

2.1 Hazard, Risk classification	Skin sensitization: Category 1
---------------------------------	--------------------------------

2.2 GHS label elements

Symbol



Signal word

Waring

Harmful Risk phrases

H317 May cause an allergic skin reaction.

Precautions

Prevention

P261 In contact with water releases flammable gases.

P272 May intensify fire; oxidiser.

P280 Contains gas under pressure; may explode if heated.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

Corresponding

P321 Specific treatment (see ... on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Storage

Not available

Disposal

P501 Dispose of contents and container in accordance with local regulations.

Amorphous, fumed silica

Health

0

Fire

1

Reactivity

0

Lime stone

Health

No data

Fire

No data

Reactivity

No data

N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane

Health

3

Fire

1

Reactivity

1

Methyl Oximino Silane

Health

1

Fire

2

Reactivity

1

Siloxanes and Silicones, di-Me, hydroxy-terminated

Health

1

Fire

2

Reactivity

0

3. COMPOSITION / INFORMATION ON INTEGREDIENTS

Name	Comon Name	CAS No	Contents(%)
Amorphous, fumed silica	SILICA, AMORPHOUS, FUMED, CRYSTALLINE FREE	112945-52-5	1 ~ 5
Lime stone		1317-65-3	25 ~ 35
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	(TRIMETHOXYSILYL)PROPYL)ETHYL	1760-24-3	0.1 ~ 1
Methyl Oximino Silane	(METHYLTRI(2-BUTANONEOXIMYL)SILANE);	22984-54-9	1 ~ 5
Siloxanes and Silicones, di-Me, hydroxy-terminated	DIMETHYL POLYSILOXANE	70131-67-8	50 ~ 60

4. FIRST AID MEASURES

4.1 Eye contact	Get emergency medical attention. Rinse skin and eyes immediately with plenty of water for at least 20 minutes when in contact with the material.
4.2 In case of skin contact	If skin irritation or rash occurs, seek medical advice / advice. Wash contaminated clothing before reuse. Get emergency medical attention. Remove contaminated clothing and shoes and isolate contaminated areas. Rinse skin and eyes immediately with plenty of water for at least 20 minutes when in contact with the material. Prevent spread of contamination on mild skin contact
4.3 Inhalation	Move to a place with fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Please warm and stabilize.
4.4 Ingestion	Get emergency medical attention.
4.5 Other precautions	Have the health care worker know about the material and take protective measures

5. FIRE FIGHTING MEASURES

5.1. Extinguishing media	Suitable extinguishing media	Use alcohol foam, carbon dioxide or water spray for digestion related to this material. Use dry sand or earth for digestion.
5.2. Special hazards arising from the substance or mixture	Hazardous combustion products	Container may explode on heating Some are burned but not easily ignited Non-flammable, the substance itself is not burned but decomposes on heating and may cause corrosive / toxic fumes May cause irritating, corrosive and toxic gases in case of fire
5.3.Protective equipment and precautions for fire-fighting	Protective equipment and precautions for fire-fighting	Be aware that it may be melted and transported. In case of tank fire, extinguish at maximum distance or use unmanned fire fighting equipment In the event of a large fire in a tank fire, use unmanned fire fighting equipment and allow it to retreat if it is not possible Rescuers should wear appropriate protective equipment. Extinguish the area and maintain safety distance. Some can be transported at high temperatures Leaky water may cause contamination. Contact may cause skin and eye burns. Drill ditches for the disposal of digestive waters to prevent them from being scattered.

Move container from fire area if it is not hazardous.

Cool containers with large amounts of water even after the fire has extinguished.

In the event of a tank fire, if there is a high tone in the pressure relief device or if the tank is discolored, immediately withdraw it

Tanks Fires in a fire.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, protective equipment and emergency procedures

Remove all ignition sources as very fine particles may cause fire or explosion.

Wipe off any spills immediately and follow all protective precautions.

Remove all ignition sources.

Stop the leak if it is not dangerous.

Do not touch a damaged container or spill without adequate protection.

Cover with plastic sheet to prevent diffusion

Note the substances and conditions to avoid

Prevent entry into waterways, sewers, basements, and confined spaces.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Absorb spillage with inert materials (eg dry sand or earth) and place in a chemical waste container.

Absorb liquid and rinse contaminated area with detergent and water..

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid inhalation.(Dust, fume, gas, mist, steam, spray)

Do not carry contaminated clothing out of the workplace.

Follow all MSDS / label precautions as product residues may remain after emptying containers.

Avoid prolonged or repeated skin contact.

Note the substances and conditions to avoid

Refer to engineering controls and personal protective equipment.

7.2 Safe storage

The empty drum should be completely drained, properly blocked and immediately returned to the drum regulator or properly positioned.

8. EXPOSURECONTROLS & PERSONAL PROTECTION

8.1. Exposure standards for chemicals, biological exposure standards, etc.

Domestic regulation

Lime stone

TWA – 10mg/m3

ACGIH regulation

No data

Biological exposure standard

No data

8.2 Personal protective equipment

Respiratory protection

Wear a respirator that has been approved by the Korean Occupational Safety and Health Administration in accordance with the physicochemical properties of the substance being exposed.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Appearance

Physical Form

Paste

Color

Gray.. Other oder colors

9.2 Odor

Oxime

9.3 Odor threshold

No data

9.4 pH

No data

9.5 Melting point / freezing point

No data

9.6 Boiling point

No data

9.7 Flash point

No data

9.8 Evaporation Rate

No data

9.9 Flammability (solid, gas)

No data

9.10 Upper/lower flammability or explosive limits

No data

9.11 Vapor Pressure

No data

9.12 Solubility

No data

9.13 Vapor Density

No data

9.14 Specific gravity

1.25 ~ 1.30

9.15 N-octanol/water partition coefficient

No data

9.16 Autoignition temperature	No data
9.17 Decomposition Temperature	No data
9.18 Viscosity	Paste
9.19 Molecular weight	No data

10. STABILITY AND REACTIVITY

10.1 Possibility of chemical stability and adverse reaction		
	Amorphous, fumed silica	Container may explode on heating
	Amorphous, fumed silica	Some are burned but not easily ignited
	Amorphous, fumed silica	Non-flammable, the substance itself is not burned but decomposes on heating and may cause corrosive / toxic fumes
	Amorphous, fumed silica	May cause irritating, corrosive and toxic gases in case of fire
	Lime stone	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	No data
	Methyl Oximino Silane	Polymerization: not polymerized Reactivity: Contact with water or moist air may form flammable and / or toxic gases and vapors.
	Siloxanes and Silicones, di-Me, hydroxy-	Stable at normal temperature and pressure
	terminated	
	terminated	
	terminated	Container may explode on heating
	terminated	Some are burned but not easily ignited
	terminated	May cause irritation and poisonous gas in case of fire
	terminated	Inhalation of the substance may be harmful
	terminated	Some fluids may cause dizziness, suffocation-inducing vapors
10.2 Conditions to avoid		
	Amorphous, fumed silica	Heat source, spark, flame, etc.
	Lime stone	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	No data
	Methyl Oximino Silane	Avoid heat, flames, sparks and other sources of ignition. Containers may rupture or explode if exposed to heat. Keep away from waterworks and sewers.
	terminated	
	terminated	Heat source, spark, flame, etc.
10.3 Substances to avoid		
	Amorphous, fumed silica	Combustible materials, reducing materials
	Lime stone	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	No data
	Methyl Oximino Silane	Oxidant
	terminated	
	terminated	Combustible material
	terminated	Irritant, toxic gas
10.4 Hazardous materials generated during decomposition		
	Amorphous, fumed silica	Corrosive / toxic fume
	Amorphous, fumed silica	Irritating, corrosive, toxic gas
	Lime stone	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	During burning, pyrolysis or combustion can produce irritating and highly toxic gases.
	Methyl Oximino Silane	No data
	terminated	
	terminated	No data

11. TOXICOLOGICAL INFORMATION

11.1. Information about possible routes of exposure

Amorphous, fumed silica	Exposure to respiration can cause pneumoconiosis in large quantities of inhalation May cause nausea, vomiting and diarrhea by stimulating the stomach. Exposed to skin contact Exposed by eye contact
Lime stone	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	Respiratory tract burns, allergic reactions Mucosa burn Skin burns, allergic reactions Snow burn
Methyl Oximino Silane	No data
terminated Siloxanes and Silicones, di-Me, hydroxy-	Can absorb body by inhalation
terminated Siloxanes and Silicones, di-Me, hydroxy-	Can be absorbed by inhalation and extinguisher
terminated Siloxanes and Silicones, di-Me, hydroxy-	Through skin, digestive system, can absorb body by inhalation of aerosol
terminated Siloxanes and Silicones, di-Me, hydroxy-	Absorption of body by inhalation of steam
terminated Siloxanes and Silicones, di-Me, hydroxy-	Can be absorbed by inhalation, skin and digestive system

11.2 Health hazard information

Acute toxicity

Oral

Amorphous, fumed silica	LD50 > 3100 mg/kg Rat
Lime stone	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	LD50 2400 mg/kg Rat
Methyl Oximino Silane	(No data)
terminated Siloxanes and Silicones, di-Me, hydroxy-	LD50 > 64 mg/kg Rat (Labor Department 3)
Percutaneous	
Amorphous, fumed silica	No data
Lime stone	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	LD50 16000 mg/kg Rabbit
Methyl Oximino Silane	(No data)
terminated Siloxanes and Silicones, di-Me, hydroxy-	LD50 > 16 mg/kg Rabbit (Labor Department 1)

Inhalation

Amorphous, fumed silica	No data
Lime stone	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
Methyl Oximino Silane	(No data)
terminated Siloxanes and Silicones, di-Me, hydroxy-	No data
Skin corrosive or irritant	
Amorphous, fumed silica	No skin irritation reported
Lime stone	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No irritation: 24, 48, 72 hours after erythema score less than 1.5
Methyl Oximino Silane	No data

terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	Severe eye damage or irritation	
	Amorphous, fumed silica	No eye irritation reported
	Lime stone	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	With stimulation: average observed (24 + 48 + 72 hrs) chemosis 3.0, enanthema 2.5, congestion 1.0, opacity 2.0
	Methyl Oximino Silane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	Respiratory sensitization	
	Amorphous, fumed silica	No data
	Lime stone	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	No data
	Methyl Oximino Silane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	Skin sensitization	
	Amorphous, fumed silica	No skin sensitization reported in humans
	Lime stone	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	Sensitive
	Methyl Oximino Silane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	Carcinogenicity	
	Industrial Safety and Health Act	
	Amorphous, fumed silica	No data
	Lime stone	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	No data
	Methyl Oximino Silane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	Notice of Ministry of Employment and Labor	
	Amorphous, fumed silica	No data
	Lime stone	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	No data
	Methyl Oximino Silane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	IARC	
	Amorphous, fumed silica	Group 3 (Silica, amorphous)
	Lime stone	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	No data
	Methyl Oximino Silane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	OSHA	
	Amorphous, fumed silica	No data
	Lime stone	No data

N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
Methyl Oximino Silane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data
ACGIH	
Amorphous, fumed silica	No data
Lime stone	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
Methyl Oximino Silane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data
NTP	
Amorphous, fumed silica	No data
Lime stone	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
Methyl Oximino Silane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data
EU CLP	
Amorphous, fumed silica	No data
Lime stone	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
Methyl Oximino Silane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data
Germ cell mutagenicity	
Amorphous, fumed silica	In vivo / In vitro tests There was no evidence that this substance caused mutations In any of the tests. – Genotoxicity effects do not occur when exposed to this material.
Lime stone	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	Return mutation test: negative concentration> 5000 ug / plate HGPR assay: negative CHO cells: S9-: 0.1–4.0 mg / ml, S9 +: 2.0–5.0 mg / ml Sister exchange chromosomal aberration test: negative, CHO cells: 1.5 to 4.0 mg / ml without S9 activation: 1.0 to 3.5 mg / ml with S9 activation Micronucleus Test: Negative Mouse (Swiss webster): 87.5, 175, and 280 mg / kg
Methyl Oximino Silane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data
Reproductive toxicity	
Amorphous, fumed silica	No data
Lime stone	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	NOAEL=500 mg/kg bw/day
Methyl Oximino Silane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data
Specific target organ toxicity (single exposure)	
Amorphous, fumed silica	Short-term exposure may cause respiratory irritation.
Lime stone	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data

	Methyl Oximino Silane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
Specific target organ toxicity (repeated exposure)		
	Amorphous, fumed silica	After two years of long-term application, evidence for reversible effects in this material could not be explained, and at high doses, there was only a slight increase in tissue weight or growth delay from time to time. – showed normal lung reaction.
	Lime stone	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	Rat:NOEAL 500mg/kg,0, 25, 125, and 500 mg/kg/day, Exposure period 28 days No effect.
	Methyl Oximino Silane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
Inhalation hazard		
	Amorphous, fumed silica	No data
	Lime stone	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	No data
	Methyl Oximino Silane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity

Fish		
	Amorphous, fumed silica	No data
	Lime stone	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	LC50 200 mg/ℓ 96 hr <i>Lepomis macrochirus</i>
	Methyl Oximino Silane	LC50 0.00000975 mg/ℓ 96 hr etc
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
Shellfish		
	Amorphous, fumed silica	No data
	Lime stone	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	EC50 90 mg/ℓ 48 hr <i>Daphnia magna</i>
	Methyl Oximino Silane	LC50 0.0000179 mg/ℓ 48 hr etc
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
Algae		
	Amorphous, fumed silica	No data
	Lime stone	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	ErC50 8.8 mg/ℓ 72 hr <i>Selenastrum capricornutum</i>
	Methyl Oximino Silane	EC50 0.0000176 mg/ℓ 96 hr etc
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data

12.2. Persistence and degradability

Persistence		
	Amorphous, fumed silica	No data
	Lime stone	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	log Kow -1.67 ((Estimate))

Methyl Oximino Silane	(Not applicable)
Siloxanes and Silicones, di-Me, hydroxy-terminated degradability	log Kow 2.43
Amorphous, fumed silica	No data
Lime stone	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
Methyl Oximino Silane	(No data)
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data
12.3. Bioaccumulation	
Enrichment	
Amorphous, fumed silica	No data
Lime stone	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
Methyl Oximino Silane	BCF 8.49
Siloxanes and Silicones, di-Me, hydroxy-terminated	BCF 14.77
Biodegradability	
Amorphous, fumed silica	No data
Lime stone	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	39 (%) 28 day
Methyl Oximino Silane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data
12.4. Soil mobility	
Amorphous, fumed silica	No data
Lime stone	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
Methyl Oximino Silane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data
12.5. Other harmful effects	
Amorphous, fumed silica	No data
Lime stone	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	Underwater stability Half hour Less than 1 hour
Methyl Oximino Silane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data

13. DISPOSAL CONSIDERATIONS

13.1 Disposal method	Dispose of contents and container in accordance with local regulations.
13.2 Disposal considerations	Dispose of contents and container in accordance with local regulations.

14. TRANSPORT INFORMATION

14.1 UN Number (UN No.)	UN transport hazard classification not available
14.2. UN proper shipping name	Not applicable
14.3. Transport hazard class(es)	Not applicable
14.4. Packing group	Not applicable

14.5. Environmental hazards	No data
14.6 Special safety measures that the user needs or needs to know about transportation or transportation	
Emergency measures in case of fire	Not applicable
Emergency Action	Not applicable
14.7 Other International Transportation Regulations	
Air Transport (IATA–DGR)	Not subject to IATA regulations.

15. REGULATORY INFORMATION

15.1 Regulation by the Industrial Safety and Health Act	
Lime stone	Working environment Measured material (measurement cycle: 6 months)
Lime stone	Special medical examination subject substance (diagnosis period: 24 months)
Lime stone	Exposure standard setting substance
15.2 Regulation by Chemical Substance Control Act	No data
15.3 Regulation under dangerous goods safety management law	No data
15.4 Regulation by waste management law	Designated waste
15.5 Other domestic and foreign regulations	
Domestic regulation	
Residual Organic Pollutant Control Act	Not available
Foreign regulation	
OSHA regulations	Not applicable
CERCLA regulations	Not applicable
US Administration Information(EPCRA 302 regulations)	Not applicable
US Administration Information(EPCRA 304 regulations)	Not applicable
US Administration Information(EPCRA 313 regulations)	Not applicable
US Administration Information(Rotterdam Convention material)	Not applicable
US Administration Information(Stockholm Convention substance)	Not applicable
US Administration Information(Montreal Protocol substance)	Not applicable
EU Classification information(Confirmed classification result)	Not applicable
EU Classification information(Danger phrases)	Not applicable
EU Classification information(Safety phrases)	Not applicable

16. OTHER INFORMATION

16.1 Source of material

Amorphous, fumed silica

Corporate Solution From Thomson Micromedex(<http://csi.micromedex.com>)(Information on possible routes of exposure)

Seton compliance resource center(<http://www.setonresourcecenter.com>)(Information on possible routes of exposure)

OECD Screening Information Data Set(<http://cs3-hq.oecd.org/scripts/hpv/>)(Oral)

OECD Screening Information Data Set(<http://cs3-hq.oecd.org/scripts/hpv/>)(Skin corrosive or irritant)

OECD Screening Information Data Set(<http://cs3-hq.oecd.org/scripts/hpv/>)(Severe eye damage or irritation)

OECD Screening Information Data Set(<http://cs3-hq.oecd.org/scripts/hpv/>)(Skin sensitization)

International Uniform ChemicalL Information Database(IUCLID)(<http://ecb.jrc.it/esis>)(Germ cell mutagenicity)

OECD SIDS(<http://www.chem.unep.ch/irptc/sids/OECD/SIDS/silicates.pdf>)(Specific target organ toxicity (single exposure))

International Programme on Chemical Safety(IPCS INCHEM)(<http://www.inchem.org/>)(Specific target organ toxicity (repeated exposure))

OECD Screening Information Data Set(<http://cs3-hq.oecd.org/scripts/hpv/>)(Specific target organ toxicity (repeated exposure))

OECD Screening Information Data Set(<http://cs3-hq.oecd.org/scripts/hpv/>)(Recommended use of the product)

Lime stone

N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane

OECD 401, EEC 67/548 1967)–79/831, OECD SIDS(Oral)

OECD SIDS(Percutaneous)

OECD TG 404 ,OECD SIDS(Skin corrosive or irritant)
OECD TG 405 OECD SIDS(Severe eye damage or irritation)
OECD TG406, OECD SIDS (1992)(Skin sensitization)
EPA Health Effect Test Guidelines, EPA Report 560/6-83-001, OECD SIDS(Germ cell mutagenicity)
EPA Health Effects Test Guidelines, OEC SIDS(Germ cell mutagenicity)
OECD TG 471, Directive 84/449/EEC(Germ cell mutagenicity)
OECD TG 422, OECD SIDS(Reproductive toxicity)
OECD TG 422: US EPA Guideline OPPTS 870.3650, OECD SIDS(Specific target organ toxicity (repeated exposure))
Static,EPA-660/3-75-009,SIDS(fish)
Static,OECD Guide-line 202,SIDS(shellfish)
OECD Guide-line 201,SIDS(Algae)
OECD SIDS(Biodegradable)

Methyl Oximino Silane

ECOSAR(fish)
ECOSAR(shellfish)
ECOSAR(Algae)
EPIWIN(Enrichment)

Siloxanes and Silicones, di-Me, hydroxy-terminated

Corporate Solution From Thomson Micromedex(<http://csi.micromedex.com>)(Oral)
Corporate Solution From Thomson Micromedex(<http://csi.micromedex.com>)(Percutaneous)
Quantitative Structure Activity Relation(QSAR)(residual)
Quantitative Structure Activity Relation(QSAR)(Enrichment)

16.2 Date First 2012-09-24

16.3 Revision number and date

Revision number 2 time
Revision Date 2017-06-29

16.4 Etc.

○ The MSDS (Material Safty Data Sheet) is edited or partially corrected by referring to the MSDS provided by KOSHA (Korea Occupational Safty and Health Agency)